16 CHANNEL MVTEAM 2023 DVR CLEARANCE

High Resolution Continuous Digital Recording - Compact Design - Motion Detect - Direct Hard Drive Recording - Digital Zoom - Simple Set and Forget Operation - 1TB Hard Drive - Smart Phone Remote View



The qMeye series DVR is designed specially for the security industry offering an outstanding digital surveillance product. It introduces embedded LINUX operating system which is more stable. It uses standard H.264 video compressed format and G.711A audio compressed format which insures the high quality image, low error coding ratio and single frame playing. The qMeye series DVR can be used individually or online applied as a part of a surveillance network, and combined with its surveillance software, it achieves the strong cloud based communication ability without the need of dedicated static IP addresses or complicated network configuration.

Package Contents

1 x <u>qMeye16</u> 16 Port DVR, 1TB HDD, Instruction manual, Software CD Power Supply, Remote, Mouse and SATA Cables (qMeye16)



1.2m HDMI Cable...\$9
4TB WD Purple Hard Drive Upgrade (Fitted) 129
Offsite software pre-configuration, remote setup and training...\$65





Sales Hotline

1300 130 508 www.australsurveillance.com.au

16 Channel P2P Analog DVR MVT 6016

M'T≣\M

Model Number: MVT-6016

Recording Rate:14CIF+2D1

• Video Output: BNC*1,VGA(1080P), HDMI(1080P)*1 output

• Audio:4ch input, 1ch output

• Alarm: 4ch input, 1ch output

• Support 2pcs HDD & 2pcs USB

M'TEAM | www.mvteamcctv.com 16CH Analog DVR P2P/Cloud



(€ F€ (y)

FEATURES



- 1. Support P2P function via IE, QMEYE CMS in PC and iPhone & Andriod mobile phone.
- 2.QMEYE software can support record the video in mobile phone and remote playback the recorded video in DVR
- 3.One Client Software can manage multiple security cameras
- 4. Support Soft update, Support 20 Languages

SPECS



Model	MVT-6016	
System	Compression	H.264 Standard compression(Hi3520)
	Op eration	Embedded Linux
Video	Input	16XBNC,(1.0Vp-p,750)
	Output	1BNC,(1.0V _{PP} ,750),1VGA,HDMI 1080P
Audio	Standard	NTS C 480F/S,PAL400F/S
	Input	4×RCA
	Output	1 ×RCA
Display	Display Split	1/4/8/9/16
	Resolution	1024*768 1280*1024 1280*720@60p 1920*1080@60p
Recording	Recording Priority	Manual, timing, motion detection, video blind and video loss recording
	Performanc e	2CH D1+14CH CIF Real Time
Network	Network function	TCP/IP,UDP,DHCP,DNS,IP filter, PPPOE, E-mail, Alarm server, UPNP, DDNS,DNS Binding
	Mobile monitoring	Support Window Mobile, iPhone, iPad, Android, Blackberry, Symbian and 3G
Alarm	Alarm input/output	No alarm(with alarm optional)
Playback &Backup	Playback channel	16CH
	Playback performance	2CH D1+14CH CIF CIF:590FPS
	Search mode	Time/date, Motion detection
	Backup mode	U-disk/Hard disk/USB CD/DVD-RW/Download
Data storage	Hard disk	2 SATA,Maximum 8TB
Auxiliary Interface	RS485	PTZ control
Environment	Power supply	12/4A(2 HDD)
	Power consumption	= 30W
	Working environment	-10? ~+55? /10~90%RH/86~106KPa
	Dimension	335*255*50mm(DVR size)
	Weight	2.3kg(Without HDD)

- *No static/ fixed IP address requirement
- *No DDNS setup needed
- *No Router setup needed
- *No subsequent monthly ISP after-sales costs for above

P2P FUNCTION



M'TEAM

Mobile Phone View





Achieve Monitoring All kinds of Cameras in One Screen on Computer







Sales Hotline

1300 130 508

www.australsurveillance.com.au